CANADIAN JOURNAL OF BOTANY

JOURNAL CANADIEN DE BOTANIQUE

Vol. 67, 1989

Author Index / Index des auteurs

Aarssen, L.W. see Epp, G.A., 2953
Abbas, S., Fletcher, R.A., and Murr, D.P. Alteration of ethylene synthesis in cucumber seedlings by triadimefon, 278
Abdel Rahman, T.M.A. see Elwy, E.E.A., 737
Abdel Rahman, T.M.A. see Ismail, I.M.K., 834
Abrams, S.R. see Reaney, M.J.T., 3640
Abrol, Y.P. see Kumar, P.A., 3426
Acker, G. see Suske, J., 1768
Ackerley, C.A. see Massicotte, H.B., 201
Adams, P.B. see Bullock, S., 313
Aiken, S.G. see McLachlan, K.I., 2088
Aiken, S.G., Dore, W.G., Lefkovitch, L.P., and Armstrong, K.C. *Calamagrostis epigejos* (Poaceae) in North America, especially Ontario, 3205
Alaback, P.B. see Tappeiner, J.C., II, 318
Alabouvette, J. see Turlier, M.-F., 1985
Albertini, L. see Mazars, C., 2077
Alcorn, S.M. see Mihail, J.D., 76
Alderman, S.C. see Mims, C.W., 1198
Alexander, T., Toth, R., Meier, R., and Weber, H.C. Dynamics of arbuscule development and degeneration in onion, bean, and tomato with reference to vesicular–arbuscular mycorrhizae in grasses, 2505
Alfieri, S.A., Jr. see Schubert, T.S., 2414
Alvarez, R.J. see Bruck, D.K., 303
Ammirati, J.F. see Rogers, S.O., 1235
Anderberg, A.A. Phylogeny and reclassification of the tribe Inuleae (Asteraceae), 2277
Andersen, C.P., Sucoff, E.I., Dixon, R.K., and Markhart, A.H., III. Effects of phosphorus deficiency on root hydraulic conductivity in *Fraxinus pennsylvanica*, 472
Anderson, R.C. see Benjamin, P.K., 2678
Antoun, H. see Prévost, D., 3164
Apostolakos, P. see Galatis, B., 2788
Armstrong, K.C. see Aiken, S.G., 3205
Attree, S.M., Dunstan, D.I., and Fowke, L.C. Initiation of embryogenic callus and suspension cultures, and improved embryo regeneration from protoplasts, of white spruce (*Picea glauca*), 1790
Aulfinger, H. see Nierzwicki-Bauer, S.A., 2711
Auriol, P. see Mazars, C., 2077
Ayer, W.A., and Migaj, B.S. Acids from blue-stain diseased lodgepole pine, 1426
Bååth, E., and Spokes, J. The effect of added nitrogen and phosphorus on mycorrhizal growth response and infection in *Allium schoenoprasum*, 3227
Babcock, C.E. see Shoemaker, R.A., 1349
Babcock, C.E. see Shoemaker, R.A., 1500
Badger, K.S., and Ungar, I.A. The effects of salinity and temperature on the germination of the inland halophyte *Hordeum jubatum*, 1420
Bailey, L.G. see Baum, B.R., 46
Bailey, L.G. see Baum, B.R., 594
Bailey, L.G. see Baum, B.R., 3219
Balasta, M.L.F.C., Perez, C., Juliano, B.O., Villareal, C.P., Lott, J.N.A., and Roxas, D.B. Effects of silica level on some properties of *Oryza sativa* straw and hull, 2356
Ball, P.W. see Crins, W.J., 1032
Ball, P.W. see Crins, W.J., 1048
Balsberg-Påhlsson, A.-M. Effects of heavy-metal and SO_2 pollution on the concentrations of carbohydrates and nitrogen in tree leaves, 2106
Banerjee, S. see Maze, J., 140
Banerjee, S. see Maze, J., 945
Barabé, D. see Charpentier, A., 559
Barabé, D. see Charpentier, A., 3625
Barceló, J. see Vázquez, M.D., 2756
Barr, D.J.S. see Faris, M.A., 1442
Barr, D.J.S., and Désaulniers, N.L. The flagellar apparatus in zoospores of *Phytophthora sojae* f.sp. *glycines* and *P. megasperma*, 1916
Barr, D.J.S., Kudo, H., Jakober, K.D., and Cheng, K.-J. Morphology and development of rumen fungi: *Neocallimastix* sp., *Piromyces communis*, and ***Orpinomyces bovis*** gen.nov., sp.nov., 2815
Barron, G.L. New species and new records of fungi that attack microscopic animals, 267
Barron, G.L. Host range studies for *Haptoglossa* and a new species, ***Haptoglossa intermedia***, 1645
Barstow, W.E., Freshour, G.D., and Fuller, M.S. The ultrastructure of mitosis during zoosporogenesis in *Rhizidiomyces apophysatus*, 3401
Bartlett, R.M. see Larson, D.W., 2731
Bashan, Y., Ream, Y., Levanony, H., and Sade, A. Nonspecific responses in plant growth, yield, and root colonization of noncereal crop plants to inoculation with *Azospirillum brasilense* Cd, 1317
Bashan, Y. see Levanony, H., 2213
Bashan, Y., Singh, M., and Levanony, H. Contribution of *Azospirillum brasilense* Cd to growth of tomato seedlings is not through nitrogen fixation, 2429
Basinger, J.F. see McIver, E.E., 1903
Basinger, J.F. see McIver, E.E., 2937
Baskin, C.C. see Baskin, J.M., 2131
Baskin, J.M., and Baskin, C.C. Seasonal changes in the germination responses of buried seeds of *Barbarea vulgaris*, 2131
Baum, B.R., and Bailey, L.G. Are *Hordeum brachyantherum* and *H. californicum* (Triticeae: Poaceae) conspecific?, 46
Baum, B.R., and Bailey, L.G. An investigation of the taxonomy of *Hordeum capense* and *H. secalinum* (Poaceae: Triticeae), 594
Baum, B.R., Tulloch, A.P., and Bailey, L.G. Epicuticular waxes of the genus *Hordeum*: a survey of their chemical composition and ultrastructure, 3219
Beaujard, F., et Viémont, J.D. Les bruyères *in vitro*. VII. pH du milieu de culture et morphogenèse de l'*Erica* × *darleyensis*. Méthode d'interprétation des données, 156
Beaujard, F. see Viémont, J.D., 161
Beaumont, G. see Grenier, G., 2261

Printed in Canada / Imprimé au Canada

Becana, M., and Salin, M.L. Superoxide dismutases in nodules of leguminous plants, 415
Begin, M.D. see Caruso, F.L., 742
Behaeghe, T. see Nijs, I., 2720
Belland, R.J. Floristic boundaries in the Gulf of St. Lawrence region: a numerical approach based on the moss flora, 1633
Benjamin, P.K., Anderson, R.C., and Liberta, A.E. Vesicular – arbuscular mycorrhizal ecology of little bluestem across a prairie–forest gradient, 2678
Benjavongkulchai, E., and Spencer, M.S. Barley aleurone xylanase: its biosynthesis and possible role, 297
Benoit, D.L., Kenkel, N.C., and Cavers, P.B. Factors influencing the precision of soil seed bank estimates, 2833
Berg, B., and McClaugherty, C. Nitrogen and phosphorus release from decomposing litter in relation to the disappearance of lignin, 1148
Berliner, R., and Torrey, J.G. On tripartite *Frankia*—mycorrhizal associations in the Myricaceae, 1708
Berliner, R., and Torrey, J.G. Studies on mycorrhizal associations in Harvard Forest, Massachusetts, 2245
Berman, M. see Shomer, I., 625
Bernillon, D. see Gourbière, F., 933
Bernillon, J. see Gay, G., 2235
Bevilacqua, L.R., Roti-Michelozzi, G., and Modenesi, P. The watertight dormancy of *Melilotus alba* seeds: further observations on the palisade cell wall, 3453
Bhandari, N.N., and Chitralekha, P. Cellularization of the female gametophyte in *Ranunculus sceleratus*, 1325
Bianco, V.V. see Perrino, P., 3529
Bissett, J., and Palm, M.E. Species of *Phyllosticta* on conifers, 3378
Blackwell, M., and Malloch, D. *Pyxidiophora*: life histories and arthropod associations of two species, 2552
Blake, G.M. see Dugan, F., 2596
Blake, T.J., and Yeatman, C.W. Water relations, gas exchange, and early growth rates of outcrossed and selfed *Pinus banksiana* families, 1618
Blake, T.J. see Tschaplinski, T.J., 1681
Blake, T.J. see Tschaplinski, T.J., 1689
Blake, T.J. see Tschaplinski, T.J., 2168
Blake, T.J. see Zwiazek, J.J., 2240
Bledsoe, C. see Rogers, S.O., 1235
Bledsoe, C.S. see Coleman, M.D., 29
Blenis, P.V. see Hopkin, A.A., 15
Blenis, P.V. see Chang, K.-F., 104
Blenis, P.V. see Chang, K.-F., 928
Blenis, P.V. see Mallett, K.I., 3083
Blenis, P.V. see Hopkin, A.A., 3545
Blom, C.W.P.M. see Voesenek, L.A.C.J., 1865
Bohannon, P.M. see Walsh, G.E., 1272
Boland, G.J., and Inglis, G.D. Antagonism of white mold (*Sclerotinia sclerotiorum*) of bean by fungi from bean and rapeseed flowers, 1775
Booth, C. see Reid, J., 879
Bordeleau, L.M. see Côté, R., 1998
Bordeleau, L.M. see Prévost, D., 3164
Boutin, C., et Morisset, P. Étude de la plasticité phénotypique chez le *Chrysanthemum leucanthemum*. II. Démographie des parties, 977
Bradfield, G.E. see Campbell, A., 146
Braselton, J.P. Karyotypic analysis of *Ligniera verrucosa* (Plasmodiophoromycetes), 1216
Braselton, J.P. Karyotypic analysis of *Membranosorus heterantherae* (Plasmodiophoromycetes), 1219
Brassard, G.R. see Ovenden, L., 954
Braun-Howland, E.B. see Nierzwicki-Bauer, S.A., 2711
Brière, F.G. see Roy-Arcand, L., 1796
Briggs, K.G. see Macfie, S.M., 1305
Briggs, K.G. see Dunn, G.J., 1838
Brightwell, B.B. see Kudirka, D.T., 1979
Britton, D.M., and Brunton, D.F. A new *Isoetes* hybrid (*Isoetes echinospora* × *riparia*) for Canada, 2995
Brouillet, L. see Charpentier, A., 559
Brouillet, L. see Legault, A., 2114
Brouillet, L. see Charpentier, A., 3625
Brown, S.A. see Zobel, A.M., 915
Brown, S.A. see Zobel, A.M., 1456
Brubaker, C.L. see Lersten, N.R., 1429
Brubaker, C.L., and Horner, H.T. Development of epidermal crystals in leaflets of *Stylosanthes guianensis* (Leguminosae; Papilionoideae), 1664
Bruck, D.K., Alvarez, R.J., and Walker, D.B. Leaf grafting and its prevention by the intact and abraded epidermis, 303
Brunton, D.F. see Britton, D.M., 2995
Bullock, S., Willetts, H.J., and Adams, P.B. Morphology, histochemistry, and germination of conidia of *Sporidesmium sclerotivorum*, 313
Burdick, D.M. see McKee, K.L., 3446
Burdon, J.J. see Lawrence, G.J., 3192
Burr, L.M. see Chmielewski, J.G., 1821
Buscot, F. Field observations on growth and development of *Morchella rotunda* and *Mitrophora semilibera* in relation to forest soil temperature, 589
Bushnell, W.R. see Russo, V.M., 2912
Bytnerowicz, A., Olszyk, D.M., Huttunen, S., and Takemoto, B. Effects of photochemical smog on growth, injury, and gas exchange of pine seedlings, 2175
Cai, Q., and Chinnappa, C.C. Studies on the *Stellaria longipes* polyploid complex (Caryophyllaceae): characterization of the genetic basis of isozymes, 2960
Cairney, J.W.G., Jennings, D.H., and Veltkamp, C.J. A scanning electron microscope study of the internal structure of mature linear mycelial organs of four basidiomycete species, 2266
Calmés, J. see Naudy-de Serres, M., 2038
Campbell, A., and Bradfield, G.E. Comparison of plant community – environment relations in two estuarine marshes of northern British Columbia, 146
Campbell, C.S. see DeHond, P.E., 2252
Carter, G.A., Teramura, A.H., and Forseth, I.N. Photosynthesis in an open field for exotic versus native vines of the southeastern United States, 443
Caruso, F.L., Neubauer, B.F., and Begin, M.D. A histological study of apple roots affected by replant disease, 742
Cass, D.D. see Folsom, M.W., 2841
Castañeda Ruiz, R.F. see Nag Raj, T.R., 2527
Castañeda Ruiz, R.F. see Nag Raj, T.R., 3386
Catling, P.M., Reznicek, A.A., and Denford, K. *Carex lacustris* × *C. trichocarpa* (Cyperaceae), a new natural hybrid, 790
Cavers, P.B. see Benoit, D.L., 2833
Cavers, P.B. see Swanton, C.J., 2880
Chabot-Jacquety, Y. see Phelouzat, R., 2646
Chakraborty, B.N. see Chakraborty, U., 1698
Chakraborty, U., and Chakraborty, B.N. Interaction of

Rhizobium leguminosarum and *Fusarium solani* f.sp. *pisi* on pea affecting disease development and phytoalexin production, 1698
Chalutz, E. see Shomer, I., 625
Chandra Sekhar, K.N., and DeMason, D.A. Differential activity of acid phosphatases from the endosperm and haustorium of date palm (*Phoenix dactylifera*) seeds, 1096
Chang, K.-F., Blenis, P.V., and Hiratsuka, Y. Mechanism and pattern of spore release by *Endocronartium harknessii*, 104
Chang, K.-F., and Blenis, P.V. Survival of *Endocronartium harknessii* teliospores in a simulated airborne state, 928
Charlton, W.A., Macdonald, A.D., Posluszny, U., and Wilkins, C.P. Additions to the technique of epi-illumination light microscopy for the study of floral and vegetative apices, 1739
Charpentier, A., Brouillet, L., et Barabé, D. Organogénèse de la fleur pistillée du *Begonia horticola* (Begoniaceae), 559
Charpentier, A., Brouillet, L., et Barabé, D. Organogénèse de la fleur pistillée du *Begonia dregei* et de l'*Hillebrandia sandwicensis* (Begoniaceae), 3625
Chen, M.-M. The rust flora of Sino-Himalayan forests, 827
Cheng, K.-J. see Barr, D.J.S., 2815
Cheng, P.C., and Wright, D.C. Effects of 3-(*p*-chlorophenyl)-6-methoxy-*s*-triazine-2,4 (1H, 3H) dione triethanolamine (DPX-3778) treatment on the floral development of maize, 327
Chenou, É. see Kuligowski, J., 2655
Cheplick, G.P. Nutrient availability, dimorphic seed production, and reproductive allocation in the annual grass *Amphicarpum purshii*, 2514
Chilvers, G.A. see Glare, T.R., 848
Chinnappa, C.C. see Cai, Q., 2960
Chitralekha, P. see Bhandari, N.N., 1325
Chmielewski, J.G. see Semple, J.C., 1157
Chmielewski, J.G., Semple, J.C., Burr, L.M., and Hawthorn, W.R. Comparison of achene characteristics within and among diploid and tetraploid clones of *Solidago flexicaulis* and their significance in germination and resource allocation studies, 1821
Chmielewski, J.G., and Semple, J.C. The cytogeography of *Aster pilosus* var. *pilosus* in southern Ontario revisited (Compositae: Astereae), 3517
Cho, C.W., and Fuller, M.S. Ultrastructural organization of freeze-substituted zoospores of *Phytophthora palmivora*, 1493
Chong, J. see Harder, D.E., 2043
Christie, B.R. see Newcombe, A.G., 365
Christy, J.A. *In vitro* viability of diaspores in *Limbella* (Musci: Amblystegiaceae), 332
Ciafardini, G., and Marotta, B. Localization of fragile areas in walls of resting spores of *Polymyxa betae*, 3123
Clark, C.A. Influence of volatiles from healthy and decaying sweet potato storage roots on sclerotial germination and hyphal growth of *Sclerotium rolfsii*, 53
Classen, R. see Magin, N., 1931
Clay, K. see Leuchtmann, A., 2600
Clifford, P.E., and Oxlade, E.L. Ethylene production, georesponse, and extension growth in dandelion peduncles, 1927
Cole, K.M. see Sheath, R.G., 3553
Coleman, M.D., Bledsoe, C.S., and Lopushinsky, W. Pure culture response of ectomycorrhizal fungi to imposed water stress, 29
Collier, D.E., and Cummins, W.R. A field study on the respiration rates in the leaves of temperate plants, 3478
Comtois, P., Payette, S., et Simon, J.-P. Similitude génétique et mode de dispersion : la nature des populations clonales de peupliers baumiers (*Populus balsamifera* L.) au Nouveau-Québec, 1208
Conlin, T.S.S., and Crowder, A.A. Location of radial oxygen loss and zones of potential iron uptake in a grass and two nongrass emergent species, 717
Cook, S. see Dickman, A., 2005
Coors, J.G. see Jondle, D.J., 263
Cornu, D. see Dalet, F., 2182
Côté, R., Bordeleau, L.M., Lapointe, J., and Grodzinski, B. Carbon partitioning in nodulated alfalfa in the presence of nitrate, 1998
Coulaud, J. Comparaison de quelques Loganiacées à l'aide des caractères quantitatifs et qualitatifs de l'anatomie du bois, 872
Cousson, A., Toubart, P., and Tran Thanh Van, K. Control of morphogenetic pathways in thin cell layers of tobacco by pH, 650
Coxson, D.S., and Lancaster, J. The morphological basis of variation in net photosynthetic and respiratory responses of the mat-forming lichen species *Stereocaulon virgatum* and *S. tomentosum*, 167
Crins, W.J., and Ball, P.W. Taxonomy of the *Carex flava* complex (Cyperaceae) in North America and northern Eurasia. I. Numerical taxonomy and character analysis, 1032
Crins, W.J., and Ball, P.W. Taxonomy of the *Carex flava* complex (Cyperaceae) in North America and northern Eurasia. II. Taxonomic treatment, 1048
Crowder, A.A. see Conlin, T.S.S., 717
Cummins, W.R. see Collier, D.E., 3478
Currier, W.W. see Davis, D.A., 1009
Cutter, E.G. see Gould, K.S., 2590
Dainty, J. see Richter, C., 451
Dainty, J. see Richter, C., 460
Dale, V.H. Wind dispersed seeds and plant recovery on the Mount St. Helens debris avalanche, 1434
Dalet, F. Lignification level and peroxidase activity during *in vitro* rooting of *Prunus avium*, 2182
Dalmasso, J.P. see Miller, A.R., 817
Dang, Q.L., and Lieffers, V.J. Climate and annual ring growth of black spruce in some Alberta peatlands, 1885
Daub, M.E. see Gwinn, K.D., 1938
Davidson, C.G., and Lenz, L.M. Experimental taxonomy of *Potentilla fruticosa*, 3520
Davis, D.A., Currier, W.W., and Racusen, D. Release of esterase from wounded potato tubers and evidence for its presence on the plasma membrane, 1009
Day, A.W. see Gardiner, R.B., 922
Day, W.R., and Lee, P.F. Ecological relationships of wild rice, *Zizania aquatica*. 8. Classification of sediments, 1381
De Cal, A. see Melgarejo, P., 83
DeHond, P.E., and Campbell, C.S. Multivariate analyses of hybridization between *Betula cordifolia* and *B. populifolia* (Betulaceae), 2252
Dehorter, B., et Lacoste, L. Photo-induction sexuée du pyrénomycète *Nectria galligena* : influence de la mycosporine sur le rapport des activités $NADP^+$-isocitrate déshydrogénase / isocitrate lyase, 447
Delisle, C.E. see Roy-Arcand, L., 1796
Delong, C.M.O. see Le Gal, M.F., 2535
Demarty, M. see Morvan, O., 135
DeMason, D.A. see Chandra Sekhar, K.N., 1096
DeMason, D.A., Stillman, J.I., and Ellmore, G.S. Acid phosphatase localization in seedling tissues of the palms, *Phoenix dactylifera* and *Washingtonia filifera*, and its relevance to controls of germination, 1103

Demmers, C. see Wetzel, S., 3439
Denes, A.S. see Macdowall, F.D.H., 352
Denford, K. see Catling, P.M., 790
dePamphilis, C.W., and Neufeld, H.S. Phenology and ecophysiology of *Aesculus sylvatica*, a vernal understory tree, 2161
Désaulniers, N.L. see Barr, D.J.S., 1916
Dessureault, M. see Legault, D., 2052
Dessureault, M. see Legault, D., 2061
DeVries, H.E., II see Rupp, L.A., 483
de Waha Baillonville, T. see Van Cat, D., 3482
Dhaliwal, H.S. Multiplication of secondary sporidia of *Tilletia indica* on soil and wheat leaves and spikes and incidence of Karnal bunt, 2387
Dickinson, M.J., and Pryor, A.J. Encapsidated and unencapsidated double-stranded RNAs in flax rust, *Melampsora lini*, 1137
Dickinson, M.J., and Pryor, A. Isometric virus-like particles encapsidate the double-stranded RNA found in *Puccinia striiformis, Puccinia recondita*, and *Puccinia sorghi*, 3420
Dickman, A., and Cook, S. Fire and fungus in a mountain hemlock forest, 2005
Dixit, A.S., and Dixit, S.S. Surface-sediment chrysophytes from 35 Quebec lakes and their usefulness in reconstructing lake-water pH, 2071
Dixit, S.S. see Dixit, A.S., 2071
Dixon, M.A. see Lee, D.R., 2352
Dixon, R.K. see Andersen, C.P., 472
Djebrouni, M. Structure et variabilité des cires épicuticulaires chez le genre *Typha* (Typhaceae), 796
Domenach, A.M., et Kurdali, F. Influence des réserves azotées sur la formation des feuilles d'*Alnus glutinosa* et ses conséquences dans l'estimation de la fixation d'azote, 865
Donèche, B. Carbohydrate metabolism and gluconic acid synthesis by *Botrytis cinerea*, 2888
Dore, W.G. see Aiken, S.G., 3205
Douglas, G.C., Heslin, M.C., and Reid, C. Isolation of *Oidiodendron maius* from *Rhododendron* and ultrastructural characterization of synthesized mycorrhizas, 2206
Driver, C.H. see Hsiang, T., 1262
Dube, S., Upadhyay, P.D., and Tripathi, S.C. Antifungal, physicochemical, and insect-repelling activity of the essential oil of *Ocimum basilicum*, 2085
Dubois, J. see Guedira, M., 970
Dubois-Tylski, T. see Guedira, M., 970
Duchesne, L.C., Ellis, B.E., and Peterson, R.L. Disease suppression by the ectomycorrhizal fungus *Paxillus involutus*: contribution of oxalic acid, 2726
Duff, K.E., and Smol, J.P. Chrysophycean stomatocysts from the postglacial sediments of Tasikutaaq Lake, Baffin Island, N.W.T., 1649
Dufour, O., Palloix, A., Gebre Selassie, K., Pochard, E., and Marchoux, G. The distribution of cucumber mosaic virus in resistant and susceptible plants of pepper, 655
Dugan, F., and Blake, G.M. Penetration and infection of western larch seedlings by *Botrytis cinerea*, 2596
Duke, S.H. see Jondle, D.J., 263
Dumas, M.T. see Lin, D., 1143
Dunn, G.J., and Briggs, K.G. Variation in culm anatomy among barley cultivars differing in lodging resistance, 1838
Dunstan, D.I. see Attree, S.M., 1790
Duthie, H.C. see Paul, B.J., 2302
Duvert, P. see Plenchette, C., 112
Dweikat, I.M., and Lyrene, P.M. Response of highbush blueberry seed germination to gibberellin A_3 and ^6N-benzyladenine, 3391
Earle, J.C. see Ewing, K., 521
Earle, J.C., and Kershaw, K.A. Vegetation patterns in James Bay coastal marshes. III. Salinity and elevation as factors influencing plant zonations, 2967
Ebersole, J.J. Role of the seed bank in providing colonizers on a tundra disturbance in Alaska, 466
Edlund, S.A. see McLachlan, K.I., 2088
Edmonds, R.L. see Hsiang, T., 1262
Edmonds, R.L. see Hsiang, T., 2396
Ehret, D.L. see Fisher, F.J.F., 515
El-Gholl, N.E. see Schubert, T.S., 2414
El-Gholl, N.E., Leahy, R.M., and Schubert, T.S. *Cylindrocladium leucothoeae* sp. nov., 2529
El-Kassaby, Y.A. see Maze, J., 140
Ellis, B.E. see Duchesne, L.C., 2726
Ellmore, G.S. see DeMason, D.A., 1103
Elmer, W.H. see LaMondia, J.A., 2420
Elmhirst, J.F., and Heath, M.C. Interactions of the bean rust and cowpea rust fungi with species of the *Phaseolus – Vigna* plant complex. II. Histological responses to infection in heat-treated and untreated leaves, 58
Elwy, E.E.A., Osman, M., Abdel Rahman, T.M.A., and Ismail, I.M.K. Effect of the triazine herbicides Goltix and Igran on germination and growth of *Aspergillus fumigatus, Fusarium oxysporum, Helminthosporium oryzae*, and *Verticillium agaricinum*, 737
Elwy, E.E.A. see Ismail, I.M.K., 834
Elwy, E.E.A. Effect of plant growth regulators on growth and reproduction in the fungus *Dipodascopsis uninucleata*, 2425
Emons, A.M.C. Helicoidal microfibril deposition in a tip-growing cell and microtubule alignment during tip morphogenesis: a dry-cleaving and freeze-substitution study, 2401
Endo, R.M. see Jordan, C.M., 3153
Epp, G.A., and Aarssen, L.W. Predicting vegetation patterns from attributes of plant growth in grassland species, 2953
Erwin, D.M., and Stockey, R.A. Permineralized monocotyledons from the Middle Eocene Princeton chert (Allenby Formation) of British Columbia: Alismataceae, 2636
Erwin, D.M., and Rothwell, G.W. *Gillespiea randolphensis* gen. et sp.nov. (Stauropteridales), from the Upper Devonian of West Virginia, 3063
Esau, K. see Fisher, D.D., 3608
Espagnac, H. see Féraud-Keller, C., 1066
Ess El-Din, E.K. see Moustafa, A.F., 3417
Estes, J.R. see Loconte, H., 2310
Ewers, F.W., McManus, P.S., Goldman, A., Gucci, R., and Fulbright, D.W. The effect of virulent and hypovirulent strains of *Endothia parasitica* on hydraulic conductance in American chestnut, 1402
Ewers, F.W. see McManus, P.S., 3600
Ewing, K., Earle, J.C., Piccinin, B., and Kershaw, K.A. Vegetation patterns in James Bay coastal marshes. II. Physiological adaptation to salt-induced water stress in three halophytic graminoids, 521
Fallon, R.D. see Newell, S.Y., 2324
Falloon, R.E., Sutherland, P.W., and Hallett, I.C. Morphology of *Erysiphe pisi* on leaves of *Pisum sativum*, 3410
Faris, M.A., Sabo, F.E., Barr, D.J.S., and Lin, C.S. The systematics of *Phytophthora sojae* and *P. megasperma*, 1442
Favre-Bonvin, J. see Gay, G., 2235

Feldman, J. see Spiegel, F.W., 1285
Féraud-Keller, C., et Espagnac, H. Conditions d'apparition d'une embryogénèse somatique sur des cals issus de la culture de tissus foliaires du chêne vert (*Quercus ilex*), 1066
Fernandez, M.R., and Heath, M.C. Interactions of the nonhost French bean plant (*Phaseolus vulgaris*) with parasitic and saprophytic fungi. I. Fungal development on and in killed, untreated, heat-treated, or blasticidin S treated leaves, 661
Fernandez, M.R., and Heath, M.C. Interactions of the nonhost French bean plant (*Phaseolus vulgaris*) with parasitic and saprophytic fungi. II. Fungal development after inoculation by injection or wounding, 670
Fernandez, M.R., and Heath, M.C. Interactions of the nonhost French bean plant (*Phaseolus vulgaris*) with parasitic and saprophytic fungi. III. Cytologically detectable responses, 676
Ferrand, M. see Kuligowski, J., 2655
Ferreira, J.F., and Rijkenberg, F.H.J. Development of infection structures of *Uromyces transversalis* in leaves of the host and a nonhost, 429
Feth, M.J. see Scott, M.G., 579
Fisher, D.D., Thorsch, J., and Esau, K. Inclusions in nuclei and plastids of Boraginaceae and their possible taxonomic significance, 3608
Fisher, F.J.F., Ehret, D.L., Lister, G.R., and Hollingdale, J. Light quality and sun tracking in *Malva neglecta*, 515
Fleming, R.A. see Perry, D.F., 1657
Fletcher, R.A. see Abbas, S., 278
Flinn, B.S., Webb, D.T., and Newcomb, W. Morphometric analysis of reserve substances and ultrastructural changes during caulogenic determination and loss of competence of Eastern White pine (*Pinus strobus*) cotyledons *in vitro*, 779
Floyd, G.L. see O'Kelly, C.J., 505
Folsom, M.W., and Cass, D.D. Embryo sac development in soybean: ultrastructure of megasporogenesis and early megagametogenesis, 2841
Forseth, I.N. see Carter, G.A., 443
Förster, H., Kinscherf, T.G., Leong, S.A., and Maxwell, D.P. Restriction fragment length polymorphisms of the mitochondrial DNA of *Phytophthora megasperma* isolated from soybean, alfalfa, and fruit trees, 529
Fortin, J.A. see Wong, K.K.Y., 1713
Fortin, J.A. see Villeneuve, N., 2616
Fowke, L.C. see Attree, S.M., 1790
Fraser, J. Characteristics of naturalized populations of white clover (*Trifolium repens*) in Atlantic Canada, 2297
Freedman, B. see Muc, M., 1126
Freshour, G.D. see Barstow, W.E., 3401
Fulbright, D.W. see Ewers, F.W., 1402
Fulbright, D.W. see McManus, P.S., 3600
Fuller, M.S. see Cho, C.W., 1493
Fuller, M.S. see Barstow, W.E., 3401
Funk, A. ***Pollaccia borealis*** sp.nov. associated with a purple-brown leaf spot of aspen, 776
Fyles, J.W. Seed bank populations in upland coniferous forests in central Alberta, 274
Gabrielson, P.W., and Scagel, R.F. The marine algae of British Columbia, northern Washington, and southeast Alaska: division Rhodophyta (red algae), class Rhodophyceae, order Gigartinales, families Caulacanthaceae and Plocamiaceae, 1221
Gabrielson, P.W. see Renfrew, D.E., 3295
Gack, C. see Magin, N., 1931
Galatis, B., Apostolakos, P., and Panteris, E. Microtubules and lithocyst morphogenesis in *Pilea cadierei*, 2788
Garbary, D.J. see O'Kelly, C.J., 505
Gardiner, R.B., McKeen, W.E., Lawrence, T.M., Smith, R.J., and Day, A.W. Inhibition of *Botrytis cinerea* spore germination by immunoglobulins, 922
Gay, G., Rouillon, R., Bernillon, J., and Favre-Bonvin, J. IAA biosynthesis by the ectomycorrhizal fungus *Hebeloma hiemale* as affected by different precursors, 2235
Gebre Selassie, K. see Dufour, O., 655
Gerrath, J.M., and Posluszny, U. Morphological and anatomical development in the Vitaceae. III. Vegetative development in *Parthenocissus inserta*, 803
Gerrath, J.M., and Posluszny, U. Morphological and anatomical development in the Vitaceae. IV. Floral development in *Parthenocissus inserta*, 1356
Gerrath, J.M., and Posluszny, U. Morphological and anatomical development in the Vitaceae. V. Vegetative and floral development in *Ampelopsis brevipedunculata*, 2371
Ghersa, C.M. see Van Esso, M.L., 940
Gifford, D.J., Wenzel, K.A., and Lammer, D.L. Lodgepole pine seed germination. I. Changes in peptidase activity in the megagametophyte and embryonic axis, 2539
Gifford, D.J. see Lammer, D.L., 2544
Glare, T.R., Milner, R.J., and Chilvers, G.A. Factors affecting the production of resting spores by *Zoophthora radicans* in the spotted alfalfa aphid, *Therioaphis trifolii* f. *maculata*, 848
Glass, A.D.M. see Konesky, D.W., 3366
Godmaire, H., and Nalewajko, C. Growth, photosynthesis, and extracellular organic release in colonized and axenic *Myriophyllum spicatum*, 3429
Goldberg, N.P., Hawes, M.C., and Stanghellini, M.E. Specific attraction to and infection of cotton root cap cells by zoospores of *Pythium dissotocum*, 1760
Goldhammer, D.S., Stephen, F.M., and Paine, T.D. Average radial growth rate and chlamydospore production of *Ceratocystis minor, Ceratocystis minor* var. *barrasii*, and SJB 122 in culture, 3498
Goldman, A. see Ewers, F.W., 1402
Goudey, J.S., and Spencer, M.S. Clean air for biological studies: evaluation of a heated platinum catalyst for removing hydrocarbon impurities, 1270
Gould, K.S., Cutter, E.G., and Young, J.P.W. Does growth rate determine leaf form in *Pisum sativum?*, 2590
Gourbière, F., Pépin, R., et Bernillon, D. Microscopie de la mycoflore des aiguilles de Sapin blanc (*Albies alba*). IV. Décomposition de la cuticule, de l'hypoderme et de l'épiderme, 933
Gouyon, P.H. see Till, I., 538
Grandtner, M.M. see Villeneuve, N., 2616
Greenwood, J.S. see Wetzel, S., 3439
Grenier, G., Proteau, L., and Beaumont, G. Lipid synthesis by isolated duckweed (*Lemna minor*) chloroplasts in the presence of a sublethal concentration of atrazine, 2261
Grenville, D.J. see Kohn, L.M., 371
Grenville, D.J. see Kohn, L.M., 394
Greyson, R.I. see Pareddy, D.R., 225
Greyson, R.I. see Pareddy, D.R., 1331
Grinwich, D.L. see Simons, R.G., 288
Grodzinski, B. see Côté, R., 1998
Groth, J.V. see McCain, J.W., 1844
Gucci, R. see Ewers, F.W., 1402
Guedira, M., Dubois-Tylski, T., Vasseur, J., et Dubois, J. Embryogénèse somatique directe à partir de cultures d'anthères du *Cichorium* (Asteraceae), 970
Gulden, G. see Noordeloos, M.E., 1727

Gurevitch, J., and Unnasch, R.S. Experimental removal of a dominant species at two levels of soil fertility, 3470
Gusta, L.V. see Reaney, M.J.T., 3640
Guttman, S.I.G., and Weigt, L.A. Electrophoretic evidence of relationships among *Quercus* (oaks) of eastern North America, 339
Guyon, J.P. see Kremer, A., 1254
Gwinn, K.D., Daub, M.E., and Huang, P.-Y. Cytological comparison of early stages of wall regeneration of *Cercospora nicotianae* and *Neurospora crassa* protoplasts, 1938
Haissig, B.E. Influences of the new auxins 4-carbomethoxyvinylenephenyl indole-3-butyrate and 2,4-dichlorophenyl indole-3-butyrate on adventitious root formation, 2571
Hallett, I.C. see Falloon, R.E., 3410
Hambrook, J.A. see Sheath, R.G., 3553
Hamilton, P.B. see Sheath, R.G., 3553
Hanlin, R.T., and Tortolero, O. Morphology of *Sclerotium coffeicola*, a tropical foliar pathogen, 1852
Harder, D.E., Chong, J., Rohringer, R., Mendgen, K., Schneider, A., Welter, K., and Knauf, G. Ultrastructure and cytochemistry of extramural substances associated with intercellular hyphae of several rust fungi, 2043
Harmon, M.E. Retention of needles and seeds on logs in *Picea sitchensis – Tsuga heterophylla* forests of coastal Oregon and Washington, 1833
Hartnett, D.C. see Hetrick, B.A.D., 2608
Haukioja, E. see Tuomi, J., 334
Hawes, C. see von Arnold, S., 422
Hawes, M.C. see Goldberg, N.P., 1760
Hawthorn, W.R. see Chmielewski, J.G., 1821
Hayes, P.A., Steeves, T.A., and Neal, B.R. An architectural analysis of *Shepherdia canadensis* and *Shepherdia argentea*: patterns of shoot development, 1870
Heath, M.C. see Elmhirst, J.F., 58
Heath, M.C. see Fernandez, M.R., 661
Heath, M.C. see Fernandez, M.R., 670
Heath, M.C. see Fernandez, M.R., 676
Hébant-Mauri, R., and Veillon, J.M. Branching and leaf initiation in the erect aerial system of *Stromatopteris moniliformis* (Gleicheniaceae), 407
Heide-Jørgensen, H.S. Development and ultrastructure of the haustorium of *Viscum minimum*. I. The adhesive disk, 1161
Heinze-Milne, S. see Rood, S.B., 1744
Hellebust, J.A. see Laliberté, G., 1959
Hershberger, W. see Wisniewski, M., 2317
Heslin, M.C. see Douglas, G.C., 2206
Hess, W.M. see Trione, E.J., 1671
Hetrick, B.A.D. see Wilson, G.W.T., 18
Hetrick, B.A.D., Wilson, G.W.T., and Hartnett, D.C. Relationship between mycorrhizal dependence and competitive ability of two tallgrass prairie grasses, 2608
Hickman, M. see Husband, B.C., 2444
Hickman, M. see Kubiw, H., 3534
Hilger, A.B., and Krause, H.H. Growth characteristics of *Laccaria laccata* and *Paxillus involutus* in liquid culture media with inorganic and organic phosphorus sources, 1782
Hill, J.P., and Lord, E.M. Floral development in *Arabidopsis thaliana*: a comparison of the wild type and the homeotic pistillata mutant, 2922
Hiratsuka, Y. see Chang, K.-F., 104
Hiratsuka, Y. see Hopkin, A.A., 3545
Ho, I. Acid phosphatase, alkaline phosphatase, and nitrate reductase activity of selected ectomycorrhizal fungi, 750
Hobbs, S.L.A. see Le Gal, M.F., 2435
Hobbs, S.L.A. see Le Gal, M.F., 2535
Hoddinott, J. see Macfie, S.M., 1305
Hodson, M.J., and Sangster, A.G. Silica deposition in the inflorescence bracts of wheat (*Triticum aestivum*). II. X-ray microanalysis and backscattered electron imaging, 281
Hogetsu, T. The arrangement of microtubules in leaves of monocotyledonous and dicotyledonous plants, 3506
Hogg, E.H., Morton, J.K., and Venn, J.M. Biogeography of island floras in the Great Lakes. I. Species richness and composition in relation to gull nesting activities, 961
Hogg, E.H. see Morton, J.K., 1803
Høiland, K., and Laane, M.M. Flower substances in the extremely disjunct species *Oxytropis deflexa* and their phytogeographical implications, 218
Hollingdale, J. see Fisher, F.J.F., 515
Holubová-Jechová, V. see Nag Raj, T.R., 3386
Hopkin, A.A., Mallett, K.I., and Blenis, P.V. The use of L-DOPA to enhance visualization of the "black line" between species of the *Armillaria mellea* complex, 15
Hopkin, A.A. see Mallett, K.I., 3083
Hopkin, A.A., Blenis, P.V., and Hiratsuka, Y. Resistant responses in juvenile seedlings of *Pinus densiflora* (Japanese red pine) inoculated with *Endocronartium harknessii*, 3545
Horner, H.T. see Brubaker, C.L., 1664
Horst, R.K. see McGovern, R.J., 1014
Horst, R.K. see McGovern, R.J., 1024
Hoskins, J.A. see Kenkel, N.C., 2630
Hoskins, W.D. see Kenkel, N.C., 2630
Hsiang, T., Edmonds, R.L., and Driver, C.H. Conidia of *Heterobasidion annosum* from *Tsuga heterophylla* forests in western Washington, 1262
Hsiang, T., and Edmonds, R.L. Physiological specialization of *Heterobasidion annosum* on conifer hosts, 2396
Hsiao, A.I. see Konesky, D.W., 3366
Huang, H.C., and Kokko, E.G. Effect of temperature on melanization and myceliogenic germination of sclerotia of *Sclerotinia sclerotiorum*, 1387
Huang, H.C., and Sun, S.K. Comparative studies on myceliogenic germination of tan sclerotia of *Sclerotinia sclerotiorum* and *Sclerotium rolfsii*, 1395
Huang, H.C. see McLaren, D.L., 2199
Huang, P.-Y. see Gwinn, K.D., 1938
Hubbes, M. see Lin, D., 1143
Hubbes, M. see Yang, D., 3490
Hudson, P.L. see Nichols, S.J., 2364
Husband, B.C., and Hickman, M. The frequency and local abundance of *Ruppia occidentalis* in relation to sediment texture and lake salinity, 2444
Hutchings, M.J. see Slade, A.J., 633
Hutchinson, I. see Smythe, S.R., 3618
Hutchinson, T.C. see Scott, M.G., 579
Huttunen, S. see Bytnerowicz, A., 2175
Hyde, K.D. ***Capillataspora corticola*** gen. et sp.nov., a new bitunicate ascomycete from intertidal prop roots of *Rhizophora apiculata*, 2522
Hyde, K.D. Intertidal mangrove fungi from north Sumatra, 3078
Ichielevich-Auster, M. see Sneh, B., 2135
Ichielevich-Auster, M. see Sneh, B., 2142
Impens, I. see Nijs, I., 2720
Inglis, G.D. see Boland, G.J., 1775
Innes, R.L., Remphrey, W.R., and Lenz, L.M. An analysis of the development of single and double flowers in *Potentilla*

fruticosa, 1071
Inoue, M. see Mino, M., 73
Ireland, R.R. The moss genus *Dicranodontium* (Dicranaceae) in Canada, 640
Ismail, I.M.K. see Elwy, E.E.A., 737
Ismail, I.M.K., Abdel Rahman, T.M.A., Elwy, E.E.A., and Osman, M.E. Effect of the triazine herbicides Goltix and Igran on cell wall degradation by some fungi, 834
Israel, H.W. see McGovern, R.J., 1014
Israel, H.W. see McGovern, R.J., 1024
Jackson, M.B. see Wei, Y.-X., 3233
Jacobson, G.L., Jr. see Jacobson, H.A., 230
Jacobson, H.A., and Jacobson, G.L., Jr. Variability of vegetation in tidal marshes of Maine, U.S.A., 230
Jakober, K.D. see Barr, D.J.S., 2815
Jauneau, A. see Morvan, O., 135
Jean, R.V. Phyllotaxis: a reappraisal, 3103
Jefferies, R.L. see Kotanen, P.M., 1408
Jefferies, R.L. see Kotanen, P.M., 1414
Jeng, R.S. see Yang, D., 3490
Jennings, D.H. see Cairney, J.W.G., 2266
John, E.A. An assessment of the role of biotic interactions and dynamic processes in the organization of species in a saxicolous lichen community, 2025
Johnson, J.A., and Whitney, N.J. An investigation of needle endophyte colonization patterns with respect to height and compass direction in a single crown of balsam fir (*Abies balsamea*), 723
Johnson, J.A., and Whitney, N.J. A study of fungal endophytes of needles of balsam fir (*Abies balsamea*) and red spruce (*Picea rubens*) in New Brunswick, Canada, using culture and electron microscope techniques, 3513
Johnson, R.W. see Lee, D.R., 2352
Johnson, W.C. see Poiani, K.A., 856
Jomphe, M. see Small, E., 1604
Jomphe, M. see Small, E., 3260
Jondle, D.J., Coors, J.G., and Duke, S.H. Maize leaf β-1,3-glucanase activity in relation to resistance to *Exserohilum turcicum*, 263
Jones, E.B.G. see Koch, J., 1183
Jones, E.B.G. see Tan, T.K., 2686
Jones, G.E. see Khan, I.A., 88
Jones, G.E. see Khan, I.A., 984
Jordan, C.M., Jordan, L.S., and Endo, R.M. Association of phenol-containing structures with *Apium graveolens* resistance to *Fusarium oxysporum* f.sp. *apii* race 2, 3153
Jordan, L.S. see Jordan, D.M., 3153
Joy, K.W. see Sieciechowicz, K.A., 732
Juliano, B.O. see Balasta, M.L.F.C., 2356
Kahl, G. see Knobloch, I., 3090
Kaneko, S. Effect of light intensity on the development of pine wilt disease, 1861
Karalamangala, R.R., and Nickrent, D.L. An electrophoretic study of representatives of subgenus *Diploxylon* of *Pinus*, 1750
Karlsson, P.S., and Nordell, K.O. Effects of leaf duration, nutrient supply, and temperature on the seasonal pattern of growth and nitrogen uptake in tree seedlings in a subarctic environment, 211
Keddy, P.A. Effects of competition from shrubs on herbaceous wetland plants: a 4-year field experiment, 708
Keddy, P.A. see Wisheu, I.C., 1609
Keddy, P.A. see Maillette, L., 2825
Keller, C.P., and Taylor, I.E.P. Acid extension *in vitro* of epidermal tissues from *Phaseolus vulgaris* hypocotyls, 2944
Kelso, S. Vascular flora and phytogeography of Cape Prince of Wales, Seward Peninsula, Alaska, 3248
Kenkel, N.C., Hoskins, J.A., and Hoskins, W.D. Local competition in a naturally established jack pine stand, 2630
Kenkel, N.C. see Benoit, D.L., 2833
Kershaw, K.A. see Ewing, K., 521
Kershaw, K.A. see Earle, J.C., 2967
Kevan, P.G. see McFarland, J.D., 24
Kevan, P.G. see Walters, T.W., 2894
Khaleel, T.F., and Siemsen, D. Cytoembryology of *Amaryllis* hybrids, 839
Khan, I.A., and Jones, G.E. Selection for a specific tobacco mosaic virus variant during bolting of *Nicotiana sylvestris*, 88
Khan, I.A., and Jones, G.E. Accumulation of necrotic lesion inducing variants in TMV-infected plantlets derived from leaf disks of *Nicotiana sylvestris*, 984
Khan, R.S. see Krug, J.C., 1174
Khare, P.K., and Shankar, R. On the petiolar structure of some *Asplenium* species, 95
Kinscherf, T.G. see Förster, H., 529
Kitt, D.G. see Wilson, G.W.T., 18
Kleven, N.L., and McLaughlin, D.J. A light and electron microscopic study of the developmental cycle in the basidiomycete *Pachnocybe ferruginea*, 1336
Knauf, G. see Harder, D.E., 2043
Knobloch, I., Kahl, G., Landré, P., and Nougarède, A. Cellular events during wound periderm formation in *Dioscorea bulbifera* bulbils, 3090
Koch, J., and Jones, E.B.G. The identity of *Crinigera maritima* and three new genera of marine cleistothecial ascomycetes, 1183
Kohlmeyer, J., and Volkmann-Kohlmeyer, B. *Corollospora armoricana* sp.nov., an arenicolous ascomycete from Brittany (France), 1281
Kohn, L.M., and Grenville, D.J. Anatomy and histochemistry of stromatal anamorphs in the Sclerotiniaceae, 371
Kohn, L.M., and Grenville, D.J. Ultrastructure of stromatal anamorphs in the Sclerotiniaceae, 394
Kokko, E.G. see Huang, H.C., 1387
Kokko, E.G. see McLaren, D.L., 2199
Konesky, D.W., Siddiqi, M.Y., Glass, A.D.M., and Hsiao, A.I. Wild oat and barley interactions: varietal differences in competitiveness in relation to phosphorus supply, 3366
Kotanen, P.M., and Jefferies, R.L. Responses of arctic sedges to release from grazing: leaf demography of *Carex* × *flavicans*, 1408
Kotanen, P.M., and Jefferies, R.L. Responses of arctic sedges to release from grazing: leaf elongation in two species of *Carex*, 1414
Krasowski, M.J., and Owens, J.N. Development of the crown (nodal diaphragm) in coastal Douglas-fir seedlings, 2473
Krause, H.H. see Hilger, A.B., 1782
Kremer, A., Xu, L., Guyon, J.P., and Roussel, G. Genetic, age, and ontogenetic variation of phyllotactic arrangements in pine species, 1254
Kretchman, D.W. see Miller, A.R., 817
Krishnan, H.B., White, J.A., and Pueppke, S.G. Immunocytochemical analysis of protein body formation in seeds of *Sorghum bicolor*, 2850
Kristjansson, G.T. see Macdowall, F.D.H., 360
Kropp, B.R. see Wong, K.K.Y., 1717
Krug, J.C., and Khan, R.S. New records and new species of *Podospora* from East Africa, 1174

Kubiw, H., Hickman, M., and Vitt, D.H. The developmental history of peatlands at Muskiki and Marguerite lakes, Alberta, 3534

Kudirka, D.T., and Brightwell, B.B. The indirect effect of exogenous auxin on initiation of cell divisions in wheat root explants (*Triticum aestivum*) during callus induction, 1979

Kudo, H. see Barr, D.J.S., 2815

Kuiper, D. see Olff, H., 2765

Kuiper, P.J.C. see Olff, H., 2765

Kuligowski, J., Ferrand, M., et Chenou, É. Effets d'un choc thermique sur le métabolisme des ARN et des protéines au cours de l'embryogenèse d'une fougère aquatique, le *Marsilea vestita*, 2655

Kumar, P.A., and Abrol, Y.P. Effect of photorespiratory inhibitors on *in vivo* nitrate reduction in the leaves of barley and maize, 3426

Kurdali, F. see Domenach, A.M., 865

Kurmann, M.H. Pollen wall formation in *Abies concolor* and a discussion on wall layer homologies, 2489

Kurmis, V., and Sucoff, E. Population density and height distribution of *Corylus cornuta* in undisturbed forests of Minnesota: 1965–1984, 2409

Laane, M.M. see Høiland, K., 218

Lacoste, L. see Dehorter, B., 447

LaFarge-England, C. The contemporary moss assemblages of a high arctic upland, northern Ellesmere Island, N.W.T., Canada, 491

Laflamme, G. see Legault, D., 2052

Laflamme, G. see Legault, D., 2061

Laflamme, G. see Petrini, O., 2805

Laliberté, G., and Hellebust, J.A. Regulation of proline content of *Chlorella autotrophica* in response to changes in salinity, 1959

Laliberté, S., et Vieth, J. Histologie des méristèmes d'accroissement diamétral primaire et secondaire et de leurs dérivés chez le *Cordyline indivisa* (Agavacées), 608

Lammer, D.L. see Gifford, D.J., 2539

Lammer, D.L., and Gifford, D.J. Lodgepole pine seed germination. II. The seed proteins and their mobilization in the megagametophyte and embryonic axis, 2544

LaMondia, J.A., and Elmer, W.H. Pathogenicity and vegetative compatibility among isolates of *Fusarium oxysporum* and *F. moniliforme* colonizing asparagus tissues, 2420

Lancaster, J. see Coxson, D.S., 167

Landré, P. see Knobloch, I., 3090

Lane, M.A. see McFarland, J.D., 24

Lapointe, J. see Côté, R., 1998

Larouche, A.C. see Richard, P.J.H., 544

Larson, D.W., Spring, S.H., Matthes-Sears, U., and Bartlett, R.M. Organization of the Niagara Escarpment cliff community, 2731

Latgé, J.P., Perry, D.F., Prévost, M.C., and Samson, R.A. Ultrastructural studies of primary spores of *Conidiobolus, Erynia*, and related Entomophthorales, 2576

Lattanzio, V. see Nozzolillo, C., 1600

Lattanzio, V. see Perrino, P., 3529

Law, S.K. see Yeung, E.C., 2219

Lawrence, G.J. Flax rust from *Linum marginale*: pathogenicity reactions on the *Linum usitatissimum* set of differential varieties, 3187

Lawrence, G.J., and Burdon, J.J. Flax rust from *Linum marginale*: variation in a natural host – pathogen interaction, 3192

Lawrence, T.M. see Gardiner, R.B., 922

Layzell, D.B. see Macdowall, F.D.H., 352

Lazzaro, M.D., and Thomson, W.W. Ultrastructure of organic acid secreting trichomes of chickpea (*Cicer arietinum*), 2669

Leahy, R.M. see El-Gholl, N.E., 2529

Lee, C.D. see Lee, K.B., 2975

Lee, D.R. Vasculature of the abscission zone of tomato fruit: implications for transport, 1898

Lee, D.R., Dixon, M.A., and Johnson, R.W. Simultaneous measurements of tomato fruit and stem water potentials using in situ stem hygrometers, 2352

Lee, K.B., and Lee, C.D. The structure and development of the haustorium in *Cuscuta australis*, 2975

Lee, P.F. see Day, W.R., 1381

Lefkovitch, L.P. see McLachlan, K.I., 2088

Lefkovitch, L.P. see Aiken, S.G., 3205

Le Gal, M.F., and Hobbs, S.L.A. Cytological studies of the infection process in nodulating and nonnodulating pea genotypes, 2435

Le Gal, M.F., Hobbs, S.L.A., and Delong, C.M.O. Gene expression during the infection process in nodulating and nonnodulating pea genotypes, 2535

Legault, A., et Brouillet, L. Cytogéographie de l'*Aster cordifolius* (Asteraceae : Astereae) au Québec, 2114

Legault, D., Dessureault, M., et Laflamme, G. Mycoflore des aiguilles de *Pinus banksiana* et *Pinus resinosa*. I. Champignons endophytes, 2052

Legault, D., Dessureault, M., and Laflamme, G. Mycoflora of *Pinus banksiana* and *Pinus resinosa* needles. II. Epiphytic fungi, 2061

Legay, J.-M. Biométrie et symétrie des inflorescences de charme, 3199

Lenz, L.M. see Innes, R.L., 1071

Lenz, L.M. see Davidson, C.G., 3520

Leong, S.A. see Förster, H., 529

Leong, S.A. see Samac, D.A., 3486

Leong, W.F. see Tan, T.K., 2686

Lersten, N.R., and Brubaker, C.L. Paraveinal mesophyll, and its relationship to vein endings, in *Solidago canadensis* (Asteraceae), 1429

Lester, R.N. see Perrino, P., 3529

Leuchtmann, A., and Clay, K. Isozyme variation in the fungus *Atkinsonella hypoxylon* within and among populations of its host grasses, 2600

Levacher, P. see Phelouzat, R., 2646

Levanony, H. see Bashan, Y., 1317

Levanony, H., and Bashan, Y. Enhancement of cell division in wheat root tips and growth of root elongation zone induced by *Azospirillum brasilense* Cd, 2213

Levanony, H. see Bashan, Y., 2429

Liberta, A.E. see Benjamin, P.K., 2678

Lieffers, V.J. see Dang, Q.L., 1885

Lieffers, V.J., and Titus, S.J. The effects of stem density and nutrient status on size inequality and resource allocation in lodgepole pine and white spruce seedlings, 2900

Lin, C.S. see Faris, M.A., 1442

Lin, D., Dumas, M.T., and Hubbes, M. Isozyme and general protein patterns of *Armillaria* spp. collected from the boreal mixedwood forest of Ontario, 1143

Linsalata, V. see Perrino, P., 3529

Liphschitz, N., and Mendel, Z. Pathological changes in the cortex of *Pinus halepensis* (Coniferales: Pinaceae) as related to injury

by *Matsucoccus josephi* (Insecta: Homoptera: Margarodidae), 2692
Lister, G.R. see Fisher, F.J.F., 515
Little, C.H.A. see Mellerowicz, E.J., 990
Ljubešić, N., Quader, H., and Schnepf, E. Correlation between protonema morphogenesis and the development of the microtubule system in *Funaria* spore germination under normal conditions and at high auxin concentrations: an immunofluorescence study, 2227
Loconte, H., and Estes, J.R. Generic relationships within Leonticeae (Berberidaceae), 2310
Lomaniec, E. see Shomer, I., 625
Lopushinsky, W. see Coleman, M.D., 29
Lord, E.M. see Hill, J.P., 2922
Lott, J.N.A. see Balasta, M.L.F.C., 2356
Lowdon, J.A. see Macdowall, F.D.H., 2828
Lumpkin, T.A. see Van Cat, D., 3482
Luttrell, E.S. see Mims, C.W., 1198
Lyrene, P.M. see Dweikat, I.M., 3391
Macdonald, A.D. see Charlton, W.A., 1739
Macdowall, F.D.H., Layzell, D.B., Walsh, K.B., and Denes, A.S. Physiological acclimations to chilling temperature in symbiotically grown alfalfa, 352
Macdowall, F.D.H., and Kristjansson, G.T. Acetylene-induced decline in acetylene reduction by nodulated roots of alfalfa, 360
Macdowall, F.D.H., and Lowdon, J.A. Leaf carbon isotopic composition ($\delta^{13}C$) and cold hardiness of wheat in relation to growth temperature and moisture stress, 2828
Macfie, S.M., Taylor, G.J., Briggs, K.G., and Hoddinott, J. Differential tolerance of manganese among cultivars of *Triticum aestivum*, 1305
Macfie, S.M., and Taylor, G.J. The effects of pH and ammonium on the distribution of manganese in *Triticum aestivum* grown in solution culture, 3394
Mackinnon, J.A. see Summerbell, R.C., 573
Maggs, C.A. see Wilce, R.T., 1465
Maggs, C.A. see Saunders, G.W., 2857
Magin, N., Classen, R., and Gack, C. The morphology of false anthers in *Craterostigma plantagineum* and *Torenia polygonoides* (Scrophulariaceae), 1931
Maillette, L., and Keddy, P.A. Two plants with contrasting architectures: growth responses to light gradients, 2825
Mallett, K.I. see Hopkin, A.A., 15
Mallett, K.I., Hopkin, A.A., and Blenis, P.V. Vegetative incompatibility in diploid isolates of *Armillaria* North American biological species I and V, 3083
Mallik, A.U. Small-scale succession towards fen on floating mat of a *Typha* marsh in Atlantic Canada, 1309
Malloch, D. see Blackwell, M., 2552
Marchoux, G. see Dufour, O., 655
Maréchal, R. see Pasquet, R.S., 949
Markhart, A.H., III see Andersen, C.P., 472
Marotta, B. see Ciafardini, G., 3123
Maruca, G. see Perrino, P., 3529
Massicotte, H.B., Peterson, R.L., and Melville, L.H. Ontogeny of *Alnus rubra - Alpova diplophloeus* ectomycorrhizae. I. Light microscopy and scanning electron microscopy, 191
Massicotte, H.B., Ackerley, C.A., and Peterson, R.L. Ontogeny of *Alnus rubra - Alpova diplophloeus* ectomycorrhizae. II. Transmission electron microscopy, 201
Matthes-Sears, U. see Larson, D.W., 2731
Maun, M.A. Population biology of *Ammophila breviligulata* and *Calamovilfa longifolia* on Lake Huron sand dunes. III. Dynamic changes in plant community structure, 1267
Maun, M.A., and Payne, A.M. Fruit and seed polymorphism and its relation to seedling growth in the genus *Cakile*, 2743
Maxwell, D.P. see Förster, H., 529
Mazars, C., Poletti, P., Petitprez, M., Albertini, L., and Auriol, P. Plugging of the xylem vessel of barley induced by a high molecular weight phytotoxic glycoprotein from *Rhynchosporium secalis*, 2077
Maze, J., Banerjee, S., and El-Kassaby, Y.A. Variation in growth rate within and among full-sib families of Douglas-fir (*Pseudotsuga menziesii*), 140
Maze, J., and Banerjee, S. A comparison of variation of *Pseudotsuga menziesii* seedlings from genetically defined and undefined sources, 945
Mazer, S.J. Family mean correlations among fitness components in wild radish: controlling for maternal effects on seed weight, 1890
McCain, J.W., and Groth, J.V. Isozyme evidence of pycnial fertilization by urediniospores of the bean rust fungus, 1844
McClaugherty, C. see Berg, B., 1148
McCracken, F.I. Design and evaluation of a remote-piloted aircraft spore sampler (REPASS) used over a cottonwood plantation, 822
McFarland, J.D., Kevan, P.G., and Lane, M.A. Pollination biology of *Opuntia imbricata* (Cactaceae) in southern Colorado, 24
McGinley, M.A. Within and among plant variation in seed mass and pappus size in *Tragopogon dubious*, 1298
McGovern, R.J., Horst, R.K., and Israel, H.W. Chrysanthemum phloem necrosis: symptomatology and histopathology, 1014
McGovern, R.J., Horst, R.K., and Israel, H.W. Chrysanthemum phloem necrosis: detection by epifluorescence microscopy, 1024
McIlraith, A.L., Robinson, G.G.C., and Shay, J.M. A field study of competition and interaction between *Lemna minor* and *Lemna trisulca*, 2904
McIver, E.E., and Basinger, J.F. The morphology and relationships of ***Thuja polaris*** sp.nov. (Cupressaceae) from the early Tertiary, Ellesmere Island, Arctic Canada, 1903
McIver, E.E., and Basinger, J.F. The morphology and relationships of ***Equisetum fluviatoides*** sp.nov. from the Paleocene Ravenscrag Formation of Saskatchewan, Canada, 2937
McKee, K.L., Mendelssohn, I.A., and Burdick, D.M. Effect of long-term flooding on root metabolic response in five freshwater marsh plant species, 3446
McKeen, W.E. see Gardiner, R.B., 922
McLachlan, K.I., Aiken, S.G., Lefkovitch, L.P., and Edlund, S.A. Grasses of the Queen Elizabeth Islands, 2088
McLachlan, J.L. see Saunders, G.W., 2857
McLaren, D.L., Huang, H.C., Rimmer, S.R., and Kokko, E.G. Ultrastructural studies on infection of sclerotia of *Sclerotinia sclerotiorum* by *Talaromyces flavus*, 2199
McLaughlin, D.J. see Kleven, N.L., 1336
McManus, P.S. see Ewers, F.W., 1402
McManus, P.S., Ewers, F.W., and Fulbright, D.W. Characterization of the chestnut blight canker and the localization and isolation of the pathogen *Cryphonectria parasitica*, 3600
Médard, R. Les mécanismes de formation du limbe chez le *Manihot esculenta* : étude microchirurgicale, 997
Meier, R. see Alexander, T., 2505
Melgarejo, P., De Cal, A., and M.-Sagasta, E. Influence of *Penicillium frequentans* and two of its antibiotics on production of stromata by *Monilinia laxa* in culture, 83

Mellerowicz, E.J., Riding, R.T., and Little, C.H.A. Genomic variability in the vascular cambium of *Abies balsamea*, 990
Melville, L.H. see Massicotte, H.B., 191
Mendel, Z. see Liphschitz, N., 2692
Mendelssohn, I.A. see McKee, K.L., 3446
Mendgen, K. see Harder, D.E., 2043
Migaj, B.S. see Ayer, W.A., 1426
Mihail, J.D., Orum, T.V., Alcorn, S.M., and Stroehlein, J.L. *Macrophomina phaseolina* in the Sonoran Desert, 76
Mihaljčević, M. see Muntañola-Cvetković, M., 1119
Miller, A.R., Dalmasso, J.P., and Kretchman, D.W. Developmental variation of cell wall degrading enzymes from cucumber (*Cucumis sativus*) fruit tissues, 817
Milner, R.J. see Glare, T.R., 848
Mims, C.W., Luttrell, E.S., and Alderman, S.C. Ultrastructure of the haustorium of the peanut late leaf spot fungus *Cercosporidium personatum*, 1198
Mims, C.W., Taylor, J., and Richardson, E.A. Ultrastructure of the early stages of infection of peanut leaves by the rust fungus *Puccinia arachidis*, 3570
Mino, M., and Inoue, M. DNA synthesis and nuclease activity during germination of a heterotic F_1 hybrid of maize, 73
Minter, D.W. see Zhang, B.-C., 909
Modenesi, P. see Bevilacqua, L.R., 3453
Montpetit, D. see Wong, K.K.Y., 1717
Moore, T.R. Growth and net production of *Sphagnum* at five fen sites, subarctic eastern Canada, 1203
Morisset, P. see Boutin, C., 977
Morneau, C., and Payette, S. Postfire lichen – spruce woodland recovery at the limit of the boreal forest in northern Quebec, 2770
Morton, J.K., and Rabeler, R.K. Biosystematic studies on the *Stellaria calycantha* (Caryophyllaceae) complex. I. Cytology and cytogeography, 121
Morton, J.K. see Hogg, E.H., 961
Morton, J.K., and Hogg, E.H. Biogeography of island floras in the Great Lakes. II. Plant dispersal, 1803
Morvan, C. see Morvan, O., 135
Morvan, O., Jauneau, A., Morvan, C., Voreux, H., et Demarty, M. Biosynthèse des pectines et différenciation des fibres cellulosiques au cours de la croissance du lin, 135
Mosseler, A., and Papadopol, C.S. Seasonal isolation as a reproductive barrier among sympatric *Salix* species, 2563
Moustafa, A.F., and Ess El-Din, E.K. ***Chaetomium sinaiense*** sp.nov., a new soil ascomycete from Egypt, 3417
M.-Sagasta, E. see Melgarejo, P., 83
Muc, M., Freedman, B., and Svoboda, J. Vascular plant communities of a polar oasis at Alexandra Fiord (79° N), Ellesmere Island, Canada, 1126
Mudge, K.W. see Rupp, L.A., 477
Mudge, K.W. see Rupp, L.A., 483
Mueller, G.J. see Rogers, S.O., 1235
Mullins, M.G. see Williams, M.H., 2154
Muntañola-Cvetković, M., Vukojević, J., and Mihaljčević, M. Pathohistology of sunflower stems attacked by *Diaporthe helianthi*, 1119
Murakami, S. see Tsuneda, A., 2150
Murr, D.P. see Abbas, S., 278
Murrin, F., and Nolan, R.A. Ultrastructure of conidial germ-tube development *in vitro* by the insect pathogen *Entomophaga aulicae*, 754
Musgrave, M.E., and Vanhoy, M.A. A growth analysis of water-logging damage in mung bean (*Phaseolus aureus*), 2391
Nagmani, R. see Raghavan, V., 247
Nag Raj, T.R., and Castañeda Ruiz, R.F. ***Dinemasporium lanatum*** anam.-sp.nov. from Cuba, 2527
Nag Raj, T.R. Genera coelomycetum. XXVI. *Amarenographium, Callistospora, Hyalothyridium,* ***Orphanocoela*** anam.-gen.nov., *Scolecosporiella*, and *Urohendersoniella*, 3169
Nag Raj, T.R., Holubová-Jechová, V., and Castañeda Ruiz, R.F. Genera coelomycetum. XXVII. *Pycnovellomyces* redescribed, 3386
Nalewajko, C. see Godmaire, H., 3429
Naudy-de Serres, M., Calmés, J., et Viala, G. Les peptides de faible masse moléculaire dans la feuille et les gousses de soja, 2038
Neal, B.R. see Hayes, P.A., 1870
Negm, F.B. see Rupp, L.A., 477
Nelson, D. see Wood, S.M., 116
Neubauer, B.F. see Caruso, F.L., 742
Neufeld, H.S. see dePamphilis, C.W., 2161
Newcomb, W. see Wood, S.M., 116
Newcomb, W. see Flinn, B.S., 779
Newcomb, W. see Wood, S.M., 3108
Newcombe, A.G., Papadopoulos, Y.A., Robb, J., and Christie, B.R. The colonization ratio: a measure of pathogen invasiveness and host resistance in Verticillium wilt of alfalfa, 365
Newell, R.E. see Odell, A.E., 2328
Newell, S.Y., and Fallon, R.D. Litterbags, leaf tags, and decay of nonabscised intertidal leaves, 2324
Nicholls, K.H. *Spiniferomonas genuiformis* and *Spiniferomonas alata* (Chrysophyceae): taxonomic implications of form variation, 1294
Nicholls, K.H. *Paraphysomonas caelifrica* new to North America and an amended description of *Paraphysomonas subrotacea* (Chrysophyceae), 2525
Nichols, S.J., Schloesser, D.W., and Hudson, P.L. Submersed macrophyte communities before and after an episodic ice jam in the St. Clair and Detroit rivers, 2364
Nicholson, B.J. Peat chemistry of a continental mire complex in western Canada, 763
Nickrent, D.L. see Karalamangala, R.R., 1750
Niemelä, P. see Tuomi, J., 334
Nierzwicki-Bauer, S.A., Aulfinger, H., and Braun-Howland, E.B. Ultrastructural characterization of an inner envelope that confines *Azolla* endosymbionts to the leaf cavity periphery, 2711
Nijs, I., Impens, I., and Behaeghe, T. Effects of long-term elevated atmospheric CO_2 concentration on *Lolium perenne* and *Trifolium repens* canopies in the course of a terminal drought stress period, 2720
Nirenberg, H. see Samuels, G.J., 3372
Nolan, R.A. see Murrin, F., 754
Noordeloos, M.E., and Gulden, G. *Entoloma* (Basidiomycetes, Agaricales) of alpine habitats on the Hardangervidda near Finse, Norway, with a key including species from Northern Europe and Greenland, 1727
Nordell, K.O. see Karlsson, P.S., 211
Nougarède, A. see Knobloch, I., 3090
Nozzolillo, C., Ricciardi, L., and Lattanzio, V. Flavonoid constituents of seed coats of *Vicia faba* (Fabaceae) in relation to genetic control of their color, 1600
Odell, A.E., Vander Kloet, S.P., and Newell, R.E. Stem anatomy of *Vaccinium* section *Cyanococcus* and related taxa, 2328
O'Kelly, C.J., Garbary, D.J., and Floyd, G.L. Flagellar apparatus of male gametes and other aspects of gamete and zygote ultrastructure in *Prasiola* and *Rosenvingiella* (Chlorophyta, Prasiolales) from British Columbia, 505

Olff, H., Kuiper, D., van Damme, J.M.M., and Kuiper, P.J.C. Gynodioecy in *Plantago lanceolata*. VI. Functions of cytokinins in growth, development, and reproduction of two sex types, 2765
Olszyk, D.M. see Bytnerowicz, A., 2175
Orum, T.V. see Mihail, J.D., 76
Osman, M. see Elwy, E.E.A., 737
Osman, M.E. see Ismail, I.M.K., 834
Ouellette, G.B. see Rioux, D., 2335
Ouellette, G.B. see Petrini, O., 2805
Ovenden, L., and Brassard, G.R. Wetland vegetation near Old Crow, northern Yukon, 954
Ovrebo, C.L. *Tricholoma*, subgenus *Tricholoma*, section *Albidogrisea*: North American species found principally in the Great Lakes region, 3134
Owens, J.N. see Krasowski, M.J., 2473
Oxlade, E.L. see Clifford, P.E., 1927
Paillet, F.L., and Rutter, P.A. Replacement of native oak and hickory tree species by the introduced American chestnut (*Castanea dentata*) in south-western Wisconsin, 3457
Paine, T.D. see Goldhammer, D.S., 3498
Palloix, A. see Dufour, O., 655
Palm, M.E. see Bissett, J., 3378
Panteris, E. see Galatis, B., 2788
Papadopol, C.S. see Mosseler, A., 2563
Papadopoulos, Y.A. see Newcombe, A.G., 365
Pareddy, D.R., and Greyson, R.I. Studies on sucrose requirements of cultured maize tassels, 225
Pareddy, D.R., and Greyson, R.I. Effects of amino acids on the development of spikelets in cultured tassels of *Zea mays*, 1331
Parmelee, J.A. The rusts (Uredinales) of arctic Canada, 3315
Pasquet, R.S., et Maréchal, R. La *Vigna benuensis*, une nouvelle espèce de la section *Vigna* du genre *Vigna* (Fabaceae), 949
Paul, B.J., and Duthie, H.C. Nutrient cycling in the epilithon of running waters, 2302
Payette, S. see Comtois, P., 1208
Payette, S. see Morneau, C., 2770
Payne, A.M. see Maun, M.A., 2743
Peng, Y.-L., and Shishiyama, J. Timing of a cellular reaction in rice cultivars associated with differing degrees of resistance to *Pyricularia oryzae*, 2704
Pépin, R. see Gourbière, F., 933
Perez, C.M. see Balasta, M.L.F.C., 2356
Perrin, R. see Plenchette, C., 112
Perrino, P., Maruca, G., Linsalata, V., Bianco, V.V., Lester, R.N., and Lattanzio, V. Flavonoid taxonomic analysis of *Vicia* species of section *Faba*, 3529
Perry, D.F., and Fleming, R.A. The timing of *Erynia radicans* resting spore germination in relation to mycosis of *Choristoneura fumiferana*, 1657
Perry, D.F. see Latgé, J.P., 2576
Peterson, R.L. see Massicotte, H.B., 191
Peterson, R.L. see Massicotte, H.B., 201
Peterson, R.L. see Duchesne, L.C., 2726
Petitprez, M. see Mazars, C., 2077
Petrini, L.E. see Petrini, O., 2805
Petrini, O., Petrini, L.E., Laflamme, G., and Ouellette, G.B. Taxonomic position of *Gremmeniella abietina* and related species: a reappraisal, 2805
Pettey, T.M. Nutritional requirements for growth of *Cryptoporus volvatus*, 2532
Phelouzat, R., Levacher, P., et Chabot-Jacquety, Y. Architecture et stratégies adaptatives des rejets de recépage du *Buddleia variabilis*, 2646
Phillippe, L.R. see Pryer, K.M., 694
Phipps, J.B. see Wells, T.C., 2465
Piccinin, B. see Ewing, K., 521
Piché, Y. see Wong, K.K.Y., 1717
Pizzolato, T.D. Vascular system of the fertile floret of *Phalaris arundinacea*, 1366
Plaut, Z. see Sneh, B., 2135
Plenchette, C., Perrin, R., and Duvert, P. The concept of soil infectivity and a method for its determination as applied to Endomycorrhizas, 112
Ploetz, R.C., and Shokes, F.M. Variability among isolates of *Diaporthe phaseolorum* f.sp. *meridionalis* in different vegetative compatibility groups, 2751
Pochard, E. see Dufour, O., 655
Pohlad, B.R. Morphology of *Treubiomyces pulcherrimus* (Chaetothyriaceae), 40
Poiani, K.A., and Johnson, W.C. Effect of hydroperiod on seed-bank composition in semipermanent prairie wetlands, 856
Poletti, P. see Mazars, C., 2077
Portilla, M^a.T. see Tuset, J.J., 1275
Poschenrieder, C. see Vázquez, M.D., 2756
Posluszny, U. see Gerrath, J.M., 803
Posluszny, U. see Gerrath, J.M., 1356
Posluszny, U. see Charlton, W.A., 1739
Posluszny, U. see Gerrath, J.M., 2371
Posluszny, U. see Walters, T.W., 2894
Pouwels, R.H.W. see Voesenek, L.A.C.J., 1865
Powell, D.A. see Robb, J., 600
Prakash, C.S., and Thielges, B.A. Interaction of geographic isolates of *Melampsora medusae* and *Populus*: effect of temperature, 486
Prakash, H.S. see Shetty, S.A., 1956
Prévost, D., Bordeleau, L.M., et Antoun, H. Effet des souches arctiques de *Rhizobium* sur la structure des nodules du sainfoin (*Onobrychis viciifolia*) et de légumineuses arctiques (*Astragalus* et *Oxytropis* spp.), 3164
Prévost, M.C. see Latgé, J.P., 2576
Proteau, L. see Grenier, G., 2261
Pryer, K.M., and Phillippe, L.R. A synopsis of the genus *Sanicula* (Apiaceae) in eastern Canada, 694
Pryor, A. see Dickinson, M.J., 3420
Pryor, A.J. see Dickinson, M.J., 1137
Pueppke, S.G. see Krishnan, H.B., 2850
Quader, H. see Ljubešić, N., 2227
Rabeler, R.K. see Morton, J.K., 121
Racette, S., and Torrey, J.G. Root nodule initiation in *Gymnostoma* (Casuarinaceae) and *Shepherdia* (Elaeagnaceae) induced by *Frankia* strain HFPGpI1, 2873
Racusen, D. see Davis, D.A., 1009
Raghavan, V., and Nagmani, R. Cytokinin effects on pollen embryogenesis in cultured anthers of *Hyoscyamus niger*, 247
Ream, Y. see Bashan, Y., 1317
Reaney, M.J.T., Gusta, L.V., Abrams, S.R., and Robertson, A.J. The effects of abscisic acid, kinetin, and gibberellin on freezing tolerance in smooth bromegrass (*Bromus inermis*) cell suspensions, 3640
Redhead, S.A. A biogeographical overview of the Canadian mushroom flora, 3003
Rehner, S. see Rogers, S.O., 1235
Reid, C. see Douglas, G.C., 2206
Reid, J., and Booth, C. On *Cryptosporella* and *Wuestneia*, 879
Remphrey, W.R. see Innes, R.L., 1071

Remphrey, W.R. Shoot ontogeny in *Fraxinus pennsylvanica* (green ash). I. Seasonal cycle of terminal meristem activity, 1624
Remphrey, W.R. Shoot ontogeny in *Fraxinus pennsylvanica* (green ash). II. Development of the inflorescence, 1966
Renfrew, D.E., Gabrielson, P.W., and Scagel, R.F. The marine algae of British Columbia, northern Washington, and southeast Alaska: division Rhodophyta (red algae), class Rhodophyceae, order Gelidiales, 3295
Reznicek, A.A. see Catling, P.M., 790
Ricciardi, L. see Nozzolillo, C., 1600
Richard, P.J.H., et Larouche, A.C. La végétation postglaciaire du Témiscamingue, Québec, durant l'épisode glaciolacustre Barlow, 544
Richardson, E.A. see Mims, C.W., 3570
Richter, C., and Dainty, J. Ion behavior in plant cell walls. I. Characterization of the *Sphagnum russowii* cell wall ion exchanger, 451
Richter, C., and Dainty, J. Ion behavior in plant cell walls. II. Measurement of the Donnan free space, anion-exclusion space, anion-exchange capacity, and cation-exchange capacity in delignified *Sphagnum russowii* cell walls, 460
Riding, R.T. see Mellerowicz, E.J., 990
Rijkenberg, F.H.J. see Ferreira, J.F., 429
Rimmer, S.R. see McLaren, D.L., 2199
Rioux, D., and Ouellette, G.B. Light microscope observations of histological changes induced by *Ophiostoma ulmi* in various nonhost trees and shrubs, 2335
Ritland, K. Genetic differentiation, diversity, and inbreeding in the mountain monkeyflower (*Mimulus caespitosus*) of the Washington Cascades, 2017
Rivard, P.G., and Woodard, P.M. Light, ash, and pH effects on the germination and seedling growth of *Typha latifolia* (cattail), 2783
Robb, J. see Newcombe, A.G., 365
Robb, J., Powell, D.A., and Street, P.F.S. Vascular coating: a barrier to colonization by the pathogen in *Verticillium* wilt of tomato, 600
Robertson, A.J. see Reaney, M.J.T., 3640
Robinson, G.G.C. see McIlraith, A.L., 2904
Rogers, S.O., Rehner, S., Bledsoe, C., Mueller, G.J., and Ammirati, J.F. Extraction of DNA from Basidiomycetes for ribosomal DNA hybridizations, 1235
Rohringer, R. see Harder, D.E., 2043
Rood, S.B., and Heinze-Milne, S. Abrupt downstream forest decline following river damming in southern Alberta, 1744
Rothwell, G.W. see Erwin, D.M., 3063
Roti-Michelozzi, G. see Bevilacqua, L.R., 3453
Rouillon, R. see Gay, G., 2235
Roussel, G. see Kremer, A., 1254
Roxas, D.B. see Balasta, M.L.F.C., 2356
Roy-Arcand, L., Delisle, C.E., and Brière, F.G. Effects of simulated acid precipitation on the metabolic activity of *Cladina stellaris*, 1796
Rupp, L.A., Mudge, K.W., and Negm, F.B. Involvement of ethylene in ectomycorrhiza formation and dichotomous branching of roots of mugo pine seedlings, 477
Rupp, L.A., DeVries, H.E., II, and Mudge, K.W. Effect of aminocyclopropane carboxylic acid and aminoethoxyvinylglycine on ethylene production of ectomycorrhizal fungi, 483
Russo, V.M., and Bushnell, W.R. Responses of barley cells to puncture by microneedles and to attempted penetration by *Erysiphe graminis* f.sp. *hordei*, 2912
Rutter, P.A. see Paillet, F.L., 3457
Sabo, F.E. see Faris, M.A., 1442
Sade, A. see Bashan, Y., 1317
Säftel, W. see Stabenau, H., 2217
Saikawa, M. Ultrastructure of the septum in *Ballocephala verrucospora* (Entomophthorales, Zygomycetes), 2484
Salin, M.L. see Becana, M., 415
Salvaña, M.J. see Sugimura, Y., 272
Samac, D.A., and Leong, S.A. Disease development in *Cucurbita maxima* (squash) infected with *Fusarium solani* f.sp. *cucurbitae*, 3486
Samson, R.A. see Latgé, J.P., 2576
Samuels, G.J., and Nirenberg, H. *Nectria* and *Fusarium*. 1. *Nectria setofusariae* and its anamorph *Fusarium setosum*, 3372
Sangster, A.G. see Hodson, M.J., 281
Saunders, G.W., Maggs, C.A., and McLachlan, J.L. Life-history variation in *Rhodophysema elegans* (Palmariales, Rhodophyta) from the North Atlantic and crustose *Rhodophysema* spp. from the North Pacific, 2857
Savidge, R.A. Coniferin, a biochemical indicator of commitment to tracheid differentiation in conifers, 2663
Savile, D.B.O. Raveneliaceae revisited, 2983
Sawa, T. see Wei, Y.-X., 3233
Sawhney, R. Temperature control of dormancy and germination in embryos isolated from seeds of dormant and nondormant lines of wild oats (*Avena fatua*), 128
Scagel, R.F. see Gabrielson, P.W., 1221
Scagel, R.F. see Renfrew, D.E., 3295
Schloesser, D.W. see Nichols, S.J., 2364
Schneider, A. see Harder, D.E., 2043
Schnepf, E. see Ljubešić, N., 2227
Schoulties, C.L. see Schubert, T.S., 2414
Schubert, T.S., El-Gholl, N.E., Alfieri, S.A., Jr., and Schoulties, C.L. *Calonectria avesiculata* sp.nov., 2414
Schubert, T.S. see El-Gholl, N.E., 2529
Schwintzer, C.R. All field-collected actinorhizae examined on *Comptonia peregrina* and *Myrica pennsylvanica* in Maine are spore negative, 1460
Scott, M.G., Hutchinson, T.C., and Feth, M.J. Contrasting responses of lichens and *Vaccinium angustifolium* to long-term acidification of a boreal forest ecosystem, 579
Segaar, P.J. Dynamics of the microtubular cytoskeleton in the green alga *Aphanochaete magna* (Chlorophyta). II. The cortical cytoskeleton, astral microtubules, and spindle during the division cycle, 239
Seifert, K.A. see Summerbell, R.C., 573
Semple, J.C., and Chmielewski, J.G. Studies on the effects, or lack thereof, of B chromosomes on the morphology and pollen viability in wild and cultivated plants of *Xanthisma texanum* (Compositae: Astereae), 1157
Semple, J.C. see Chmielewski, J.G., 1821
Semple, J.C. see Chmielewski, J.G., 3517
Shankar, R. see Khare, P.K., 95
Shay, J.M. see Thompson, D.J., 1448
Shay, J.M. see Zwiazek, J.J., 1606
Shay, J.M. see McIlraith, A.L., 2904
Shearer, C.A. *Pseudohalonectria* (Lasiosphaeriaceae), an antagonistic genus from wood in freshwater, 1944
Sheath, R.G., Hamilton, P.B., Hambrook, J.A., and Cole, K.M. Stream macroalgae of the eastern boreal forest region of North America, 3553
Shetty, H.S. see Shetty, S.A., 1956
Shetty, S.A., Prakash, H.S., and Shetty, H.S. Efficacy of certain plant extracts against seed-borne infection of *Trichoconiella*

padwickii in paddy (*Oryza sativa*), 1956
Shishiyama, J. see Peng, Y.-L., 2704
Shishkoff, N. Zoospore encystment pattern and germination on onion roots, and the colonization of hypodermal cells by *Pythium coloratum*, 258
Shivji, A., and Turkington, R. The influence of *Rhizobium trifolii* on growth characteristics of *Trifolium repens*: integration of local environments by clonal genets of *T. repens*, 1080
Shoemaker, R.A., and Babcock, C.E. *Diadema*, 1349
Shoemaker, R.A., and Babcock, C.E. *Phaeosphaeria*, 1500
Shokes, F.M. see Ploetz, R.C., 2751
Shomer, I., Chalutz, E., Vasiliver, R., Lomaniec, E., and Berman, M. Sclerification of juice sacs in pummelo (*Citrus grandis*) fruit, 625
Shomer, I. see Sneh, B., 2142
Shorthouse, J.D. see West, A., 2187
Siddiqi, M.Y. see Konesky, D.W., 3366
Sieciechowicz, K.A., and Joy, K.W. The effect of plant age on asparaginase activity and amino acid levels in developing leaves of *Pisum sativum*, 732
Siemsen, D. see Khaleel, T.F., 839
Simon, J.-P. see Comtois, P., 1208
Simons, R.G., and Grinwich, D.L. Immunoreactive detection of four mammalian steroids in plants, 288
Singh, M. see Bashan, Y., 2429
Siver, P.A. The distribution of scaled chrysophytes along a pH gradient, 2120
Slade, A.J., and Hutchings, M.J. Within- and between-population variation in ramet behaviour in the gynodioecious clonal herb, *Glechoma hederacea* (Labiatae), 633
Small, E. Polythetic generic separation in tribe Trifolieae subtribe Trigonellinae (Leguminosae), 1480
Small, E., and Jomphe, M. A note on *Trigonella* (*Melilotus*) *bicolor*, 1604
Small, E., and Jomphe, M. A synopsis of the genus *Medicago* (Leguminosae), 3260
Smith, E.C. see Stafford, H.A., 1111
Smith, R.J. see Gardiner, R.B., 922
Smol, J.P. see Duff, K.E., 1649
Smythe, S.R., and Hutchinson, I. Ecological plasticity in *Carex lyngbyei*: evidence from transplant experiments, 3618
Sneh, B., Ichielevich-Auster, M., and Plaut, Z. Mechanism of seedling protection induced by a hypovirulent isolate of *Rhizoctonia solani*, 2135
Sneh, B., Ichielevich-Auster, M., and Shomer, I. Comparative anatomy of colonization of cotton hypocotyls and roots by virulent and hypovirulent isolates of *Rhizoctonia solani*, 2142
Spencer, M.S. see Benjavongkulchai, E., 297
Spencer, M.S. see Goudey, J.S., 1270
Spiegel, F.W., and Feldman, J. Fruiting body development in the mycetozoan *Echinostelium bisporum*, 1285
Spokes, J. see Bååth, E., 3227
Spring, S.H. see Larson, D.W., 2731
Stabenau, H., and Säftel, W. Induction of conjugation in *Mougeotia*, 2217
Stafford, H.A., Smith, E.C., and Weider, R.M. The development of proanthocyanidins (condensed tannins) and other phenolics in bark of *Pseudotsuga menziesii*, 1111
Standley, L.A. Taxonomic revision of the *Carex stricta* (Cyperaceae) complex in eastern North America, 1
Stanghellini, M.E. see Goldberg, N.P., 1760
Steeves, T.A. see Hayes, P.A., 1870
Stephen, F.M. see Goldhammer, D.S., 3498
Stillman, J.I. see DeMason, D.A., 1103
Stockey, R.A. see Erwin, D.M., 2636
Stockwell, V.O. see Trione, E.J., 1671
St. Pierre, R.G. Magnitude, timing, and causes of immature fruit loss in *Amelanchier alnifolia* (Rosaceae), 726
Street, P.F.S. see Robb, J., 600
Stroehlein, J.L. see Mihail, J.D., 76
Sucoff, E. see Kurmis, V., 2409
Sucoff, E.I. see Andersen, C.P., 472
Sugimura, Y., and Salvaña, M.J. Induction and growth of callus derived from rachilla explants of young inflorescences of coconut palm, 272
Summerbell, R.C., Seifert, K.A., and Mackinnon, J.A. Taxonomy and ecology of *Cylindrodendrum album* var. *paralion* var.nov., 573
Summerbell, R.C. Microfungi associated with the mycorrhizal mantle and adjacent microhabitats within the rhizosphere of black spruce, 1085
Sumner, M.J., and Van Caeseele, L. The ultrastructure and cytochemistry of the egg apparatus of *Brassica campestris*, 177
Sun, S.K. see Huang, H.C., 1395
Suske, J., and Acker, G. Identification of endophytic hyphae of *Lophodermium piceae* in tissues of green, symptomless Norway spruce needles by immunoelectron microscopy, 1768
Sutherland, P.W. see Falloon, R.E., 3410
Svoboda, J. see Muc, M., 1126
Swanton, C.J., and Cavers, P.B. Biomass and nutrient allocation patterns in Jerusalem artichoke (*Helianthus tuberosus*), 2880
Takemoto, B. see Bytnerowicz, A., 2175
Tan, T.K., Leong, W.F., and Jones, E.B.G. Succession of fungi on wood of *Avicennia alba* and *A. lanata* in Singapore, 2686
Tang, W. Seed dispersal in the cycad *Zamia pumila* in Florida, 2066
Tappeiner, J.C., II, and Alaback, P.B. Early establishment and vegetative growth of understory species in the western hemlock – Sitka spruce forests of southeast Alaska, 318
Taylor, G.J. see Macfie, S.M., 1305
Taylor, G.J. Multiple metal stress in *Triticum aestivum*. Differentiation between additive, multiplicative, antagonistic, and synergistic effects, 2272
Taylor, G.J. see Macfie, S.M., 3394
Taylor, I.E.P. see Keller, C.P., 2944
Taylor, J. see Mims, C.W., 3570
Teramura, A.H. see Carter, G.A., 443
Thielges, B.A. see Prakash, C.S., 486
Thompson, D.J., and Shay, J.M. First-year response of *Phragmites* marsh community to seasonal burning, 1448
Thompson, J.P., and Wildermuth, G.B. Colonization of crop and pasture species with vesicular–arbuscular mycorrhizal fungi and a negative correlation with root infection by *Bipolaris sorokiniana*, 687
Thomson, W.W. see Lazzaro, M.D., 2669
Thorsch, J. see Fisher, D.D., 3608
Till, I., Valdeyron, G., et Gouyon, P.H. Polymorphisme pollinique et polymorphisme génétique, 538
Titus, S.J. see Lieffers, V.J., 2900
Tiwari, S.C. Cytoskeleton during pollen development in *Tradescantia virginiana*: a study employing chemical fixation, freeze-substitution, immunofluorescence, and colchicine administration, 1244
Torrey, J.G. see Berliner, R., 1708
Torrey, J.G. see Berliner, R., 2245

Torrey, J.G. see Racette, S., 2873
Tortolero, O. see Hanlin, R.T., 1852
Toth, R. see Alexander, T., 2505
Toubart, P. see Cousson, A., 650
Tran Thanh Van, K. see Cousson, A., 650
Trione, E.J., Hess, W.M., and Stockwell, V.O. Growth and sporulation of the dikaryons of the dwarf bunt fungus in wheat plants and in culture, 1671
Tripathi, S.C. see Dube, S., 2085
Tschaplinski, T.J., and Blake, T.J. Water-stress tolerance and late-season organic solute accumulation in hybrid poplar, 1681
Tschaplinski, T.J., and Blake, T.J. Water relations, photosynthetic capacity, and root/shoot partitioning of photosynthate as determinants of productivity in hybrid poplar, 1689
Tschaplinski, T.J., and Blake, T.J. Correlation between early root production, carbohydrate metabolism, and subsequent biomass production in hybrid poplar, 2168
Tsuneda, A., and Murakami, S. Sporogenesis and septum schizolysis in *Dipodascus aggregatus*, 2150
Tulloch, A.P. see Baum, B.R., 3219
Tuomi, J., Vuorisalo, T., Niemelä, P., and Haukioja, E. Effects of localized defoliations on female inflorescences in mountain birch, *Betula pubescens* ssp. *tortuosa*, 334
Turkington, R. see Shivji, A., 1080
Turlier, M.-F., et Alabouvette, J. La morphogenèse florale chez le pétunia. II. La fleur normale, 1985
Tuset, J.J., and Portilla, M^a.T. Taxonomic status of *Fusicoccum amygdali* and *Phomopsis amygdalina*, 1275
Ungar, I.A. see Badger, K.S., 1420
Unnasch, R.S. see Gurevitch, J., 3470
Upadhyay, P.D. see Dube, S., 2085
Valdeyron, G. see Till, I., 538
Van Caeseele, L. see Sumner, M.J., 177
Van Cat, D., Watanabe, I., Zimmerman, W.J., Lumpkin, T.A., and de Waha Baillonville, T. Sexual hybridization among *Azolla* species, 3482
van Damme, J.M.M. see Olff, H., 2765
Vander Kloet, S.P. see Odell, A.E., 2328
van der Valk, A.G. see Wienhold, C.E., 1878
Van Esso, M.L., and Ghersa, C.M. Dynamics of *Sorghum halepense* seeds in the soil of an uncultivated field, 940
Vanhoy, M.A. see Musgrave, M.E., 2391
Vasiliver, R. see Shomer, I., 625
Vasseur, J. see Guedira, M., 970
Vázquez, M.D., Poschenrieder, C., and Barceló, J. Pulvinus structure and leaf abscission in cadmium-treated bean plants (*Phaseolus vulgaris*), 2756
Veillon, J.M. see Hébant-Mauri, R., 407
Veltkamp, C.J. see Cairney, J.W.G., 2266
Venn, J.M. see Hogg, E.H., 961
Vesk, M. see Williams, M.H., 2154
Viala, G. see Naudy-de Serres, M., 2038
Viémont, J.D. see Beaujard, F., 156
Viémont, J.D., et Beaujard, F. Les bruyères *in vitro*. VIII. Évolution du pH du milieu de culture et morphogenèse de l'*Erica* × *darleyensis*. (B) Relation entre l'absorption et les phases de la croissance rythmique, 161
Vieth, J. see Laliberté, S., 608
Villareal, C.P. see Balasta, M.L.F.C., 2356
Villeneuve, N., Grandtner, M.M., and Fortin, J.A. Frequency and diversity of ectomycorrhizal and saprophytic macrofungi in the Laurentide Mountains of Quebec, 2616
Vitt, D.H. see Kubiw, H., 3534
Voesenek, L.A.C.J., Blom, C.W.P.M., and Pouwels, R.H.W. Root and shoot development of *Rumex* species under waterlogged conditions, 1865
Volkmann-Kohlmeyer, B. see Kohlmeyer, J., 1281
Volkmar, K.M., and Woodbury, W. Effects of soil temperature and depth on colonization and root and shoot growth of barley inoculated with vesicular–arbuscular mycorrhizae indigenous to Canadian prairie soil, 1702
von Arnold, S., and Hawes, C. Differentiation of bud meristems and cataphylls during adventitious bud formation on embryos of *Picea abies*, 422
Voreux, H. see Morvan, O., 135
Vukojević, J. see Muntañola-Cvetković, M., 1119
Vuorisalo, T. see Tuomi, J., 334
Walker, D.B. see Bruck, D.K., 303
Walsh, G.E., Bohannon, P.M., and Wessinger-Duvall, P.B. Microwave irradiation for rapid killing and fixing of plant tissue, 1272
Walsh, K.B. see Macdowall, F.D.H., 352
Walters, T.W., Posluszny, U., and Kevan, P.G. Isozyme analysis of the grape (*Vitis*). I. A practical solution, 2894
Watanabe, I. see Van Cat, D., 3482
Webb, D.T. see Flinn, B.S., 779
Weber, H.C. see Alexander, T., 2505
Wei, Y.-X., Yung, Y.-K., Jackson, M.B., and Sawa, T. Some Zygnemataceae (Chlorophyta) of Ontario, Canada, including descriptions of two new species, 3233
Weider, R.M. see Stafford, H.A., 1111
Weigt, L.A. see Guttman, S.I., 339
Wells, T.C., and Phipps, J.B. Studies in *Crataegus* (Rosaceae: Maloideae). XX. Interserial hybridization between *Crataegus monogyna* (series *Oxycanthae*) and *Crataegus punctata* (series *Punctatae*) in southern Ontario, 2465
Welter, K. see Harder, D.E., 2043
Wenzel, K.A. see Gifford, D.J., 2539
Wessinger-Duvall, P.B. see Walsh, G.E., 1272
West, A., and Shorthouse, J.D. Initiation and development of the stem gall induced by *Hemadas nubilipennis* (Hymenoptera: Pteromalidae) on lowbush blueberry, *Vaccinium angustifolium* (Ericaceae), 2187
Wetzel, S., Demmers, C., and Greenwood, J.S. Spherical organelles, analogous to seed protein bodies, fluctuate seasonally in parenchymatous cells of hardwoods, 3439
White, J.A. see Krishnan, H.B., 2850
Whitney, N.J. see Johnson, J.A., 723
Whitney, N.J. see Johnson, J.A., 3513
Wienhold, C.E., and van der Valk, A.G. The impact of duration of drainage on the seed banks of northern prairie wetlands, 1878
Wilce, R.T., and Maggs, C.A. Reinstatement of the genus *Haemescharia* (Rhodophyta, **Haemeschariaceae** fam.nov.) for *H. polygyna* and *H. hennedyi* comb.nov. (= *Petrocelis hennedyi*), 1465
Wilder, G.J. Morphology of *Dianthoveus cremnophilus* (Cyclanthaceae), 2450
Wilder, G.J. Anatomy of *Dianthoveus cremnophilus* (Cyclanthaceae), 3580
Wildermuth, G.B. see Thompson, J.P., 687
Wilkins, C.P. see Charlton, W.A., 1739
Willetts, H.J. see Bullock, S., 313
Williams, M.H., Vesk, M., and Mullins, M.G. Characteristics of the surface of banana peel in cultivars susceptible and resistant to maturity bronzing, 2154
Wilson, B.F. Tree branches as populations of twigs, 434

Wilson, C. see Wisniewski, M., 2317
Wilson, G.W.T., Hetrick, B.A.D., and Kitt, D.G. Suppression of vesicular–arbuscular mycorrhizal fungus spore germination by nonsterile soil, 18
Wilson, G.W.T. see Hetrick, B.A.D., 2608
Wisheu, I.C., and Keddy, P.A. Species richness – standing crop relationships along four lakeshore gradients: constraints on the general model, 1609
Wisniewski, M., Wilson, C., and Hershberger, W. Characterization of inhibition of *Rhizopus stolonifer* germination and growth by *Enterobacter cloacae*, 2317
Wong, K.K.Y., and Fortin, J.A. A Petri dish technique for the aseptic synthesis of ectomycorrhizae, 1713
Wong, K.K.Y., Piché, Y., Montpetit, D., and Kropp, B.R. Differences in the colonization of *Pinus banksiana* roots by sib-monokaryotic and dikaryotic strains of ectomycorrhizal *Laccaria bicolor*, 1717
Wood, S.M., Newcomb, W., and Nelson, D. Fine structure of the microsymbiont of the actinorhizal root nodules of mountain mahogany (*Cercocarpus ledifolius*, family Rosaceae), 116
Wood, S.M., and Newcomb, W. Nodule morphogenesis: the early infection of Alfalfa (*Medicago sativa*) root hairs by *Rhizobium meliloti*, 3108
Woodard, P.M. see Rivard, P.G., 2783
Woodbury, W. see Volkmar, K.M., 1702
Wright, D.C. see Cheng, P.C., 327
Xu, L. see Kremer, A., 1254
Yang, D., Jeng, R.S., and Hubbes, M. Mansonone accumulation in elm callus induced by elicitors of *Ophiostoma ulmi*, and general properties of elicitors, 3490
Yeatman, C.W. see Blake, T.J., 1618
Yeung, E.C., and Law, S.K. Embryology of *Epidendrum ibaguense*. I. Ovule development, 2219
Yoshida, S. see Yoshie, F., 3563
Yoshie, F., and Yoshida, S. Wintering forms of perennial herbs in the cool temperate regions of Japan, 3563
Young, J.P.W. see Gould, K.S., 2590
Yung, Y.-K. see Wei, Y.-X., 3233
Zhang, B.-C., and Minter, D.W. ***Elaphomyces spinoreticulatus*** sp.nov., with notes on Canadian species of *Elaphomyces*, 909
Zimmerman, W.J. see Van Cat, D., 3482
Zink, M.W. Regulation of ammonia-assimilating enzymes by various nitrogen sources in cultured *Ipomoea* spp., 3127
Zobel, A.M., and Brown, S.A. Histological localization of furanocoumarins in *Ruta graveolens* shoots, 915
Zobel, A.M., and Brown, S.A. Localization of daphnetin and umbelliferone in different tissues of *Daphne mezereum* shoots, 1456
Zwiazek, J.J., and Shay, J.M. Effect of sodium fluoride treatments on the mitotic cycle of root-tip cells in jack pine seedlings, 1606
Zwiazek, J.J., and Blake, T.J. Effects of preconditioning on subsequent water relations, stomatal sensitivity, and photosynthesis in osmotically stressed black spruce, 2240